| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|----------|-------|--------------------------------------|---------------------------------|---------------------|---------|------------------|
| L1 | 0 | ("x20202020").PN. | USPAT | OR | OFF | 2005/10/02 22:19 |
| L2 | 1 | ("6,842,860").PN. | USPAT | OR | OFF | 2005/10/02 22:19 |
| S1 | 10 | peiffer-christoph\$.in. | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 18:32 |
| S2 | 2 | S1 and string | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 18:33 |
| S3 | 1 | S2 and "xor" | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 18:33 |
| S4 | . 5 | redline adj network\$.as. | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 19:00 |
| S5 | 0 | S4 and string | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 18:34 |
| S6 | 5 | (redline adj network\$).as. | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 18:34 |
| S7 | 3504 | 709/217.ccls. | US-PGPUB; USPAT; EPO; JPO | OR . | ON | 2005/09/30 19:05 |
| S8 | 912 | S7 and string | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 19:07 |
| S9 | 200 | S8 and binary | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 19:08 |
| S10 | 4 | S9 and (case adj insensi\$5) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 19:07 |
| S11 | 14 | S8 and ("xor" (exclusive adj "or")) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 19:07 |
| S12 | 1302 | 709/200.ccls. | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 19:06 |
| S13 | 38788 | 709/201-253.ccls. | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 19:06 |
| S14 | 0 | 719/300.ccls. | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 19:06 |

| | | | T | | | |
|-----|-------|--|---------------------------------|------|----|------------------|
| S15 | 835 | 719/310.ccls. | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 19:06 |
| S16 | 4349 | 719/311-320,328-332.ccls. | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 19:07 |
| S17 | 43118 | S12 or S13 or S15 or S16 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 19:07 |
| S18 | 142 | S17 and (case adj insensi\$5) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 19:07 |
| S19 | 8 | S18 and ("xor" (exclusive adj "or")) | US-PGPUB; USPAT; EPO; JPO | OR · | ON | 2005/09/30 19:07 |
| S20 | 9939 | S17 and string | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 19:07 |
| S21 | 64 | S18 and binary | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 19:08 |
| S22 | 4 | HTTP near5 header same ("xor" (exclusive adj "or")) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 19:12 |
| S23 | 30 | HTTP near5 header and ("xor" (exclusive adj "or")) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 19:16 |
| S24 | 14 | S23 and binary | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 19:12 |
| S25 | 56 | S21 and string | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 19:12 |
| S26 | 7 | S24 and string | US-PGPUB; USPAT; EPO; JPO | OR . | ON | 2005/09/30 19:12 |
| S27 | 3 | HTTP and (header near5 ("xor" (exclusive adj "or"))) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 19:18 |
| S28 | 48 | HTTP and (header same ("xor" (exclusive adj "or"))) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 19:19 |
| S29 | 4 | HTTP same (header same ("xor" (exclusive adj "or"))) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 21:12 |
| S30 | 24 | HTTP near5 header near5 match\$5 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 19:23 |

| | , | | | , | | |
|-----|----|--|---------------------------------|------|----|------------------|
| S31 | 50 | HTTP near5 header near5 (match\$5 or compar\$5 or evaluat\$5 or measur\$5) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 19:24 |
| S32 | 15 | HTTP near5 header near5 (compar\$5) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 19:24 |
| S33 | 18 | HTTP near latency | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 21:13 |
| S34 | 0 | HTTP near latency and (header near5 (compar\$5 or match\$5)) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 21:13 |
| S35 | 0 | HTTP near latency and (header same (compar\$5 or match\$5)) | US-PGPUB; USPAT; EPO; JPO | OR · | ON | 2005/09/30 21:13 |
| S36 | 11 | HTTP near latency and (compar\$5 or match\$5) | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 21:14 |
| S37 | 0 | HTTP near latency same header | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 21:15 |
| S38 | 40 | "xor" near5 header | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 21:16 |
| S39 | 1 | "xor" near5 header near5 compar\$5 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 21:17 |
| S40 | 9 | exclusive near5 header near5 .compar\$5 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 22:12 |
| S41 | 0 | ASCII near5 header near5 compar\$5 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 21:19 |
| S42 | 10 | header near5 compar\$5 near5 predefin\$5 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 21:26 |
| S43 | 6 | header near5 HTTP near5 predefin\$5 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 21:51 |
| S44 | 1 | header near5 predefin\$5 same bitwise | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 21:51 |
| S45 | 20 | header near5 predefin\$5 and bitwise | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 22:02 |
| S46 | 5 | header near5 predefin\$5 near5 match\$5 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 21:56 |

| | | | 1 | 1 | | ··· |
|-----|----|---|---------------------------------|----|----|------------------|
| S47 | 7 | header near5 predefin\$5 near5 map\$5 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 22:00 |
| S48 | 1 | header near5 predefin\$5 same exclusive adj "or" | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 22:00 |
| S49 | 1 | header near5 predefin\$5 same "xor" | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 22:01 |
| S50 | 1 | header near5 prede\$5 same "xor" | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 22:02 |
| S51 | 4 | header near5 prede\$8 same "xor" | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 22:02 |
| S52 | 26 | header near5 predetermin\$5 and bitwise | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 22:02 |
| S53 | 2 | header near5 predetermin\$5 same bitwise | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 22:10 |
| S54 | 1 | string near5 predetermin\$5 same bitwise | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 22:11 |
| S55 | 3 | compar\$5 near5 predetermin\$5 same bitwise | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 22:11 |
| S56 | 2 | bitwise near5 header near5 compar\$5 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 22:15 |
| S57 | 11 | "20202020" | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 22:18 |
| S58 | 0 | "20202020" and bitwise | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 22:16 |
| S59 | 3 | bitwise same "0x20" | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 22:20 |
| S60 | 18 | negat\$5 near5 string near5 match\$5 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 22:21 |
| S61 | 45 | string near5 bitwise | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 22:22 |
| S62 | 0 | URL near5 bitwise | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 22:22 |

| S63 | 7 | URL same bitwise | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 22:47 |
|-----|------|---|---------------------------------|-----|-----|------------------|
| S64 | 121 | http near5 encod\$5 near5 header | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 22:48 |
| S65 | 35 | http near5 encoded near5 header | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 22:48 |
| S66 | 16 | http near5 decod\$5 near5 header | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 22:50 |
| S67 | 0 | S66 and bitwise | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 22:49 |
| S68 | 0 | S66 and exclusive adj "or" | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/09/30 22:49 |
| S69 | 4 | http near5 decod\$5 near5 header same compar\$5 | US-PGPUB; USPAT; EPO; JPO | OR, | ON | 2005/09/30 22:55 |
| S70 | 0 | ("20020101989").PN. | USPAT | OR | OFF | 2005/09/30 22:55 |
| S71 | 1 | ("20020101989").PN. | US-PGPUB; USPAT | OR | OFF | 2005/09/30 22:56 |
| S72 | . 0 | PACK adj HEADER same http | US-PGPUB; USPAT | OR | ON | 2005/09/30 22:56 |
| S73 | 1105 | PACK adj HEADER | US-PGPUB; USPAT | OR | ON | 2005/09/30 22:56 |
| S74 | 1071 | PACK adj HEADER | US-PGPUB; USPAT | OR | OFF | 2005/09/30 22:57 |
| S75 | 2 | PACK adj HEADER same bitwise | US-PGPUB; USPAT | OR | OFF | 2005/09/30 22:57 |
| S76 | 2 | PACK adj HEADER and bitwise | US-PGPUB; USPAT | OR | OFF | 2005/09/30 22:57 |
| S77 | 14 | PACK adj HEADER and WAN | US-PGPUB; USPAT | OR | OFF | 2005/09/30 23:07 |
| S78 | 18 | header near latency | US-PGPUB; USPAT | OR | OFF | 2005/09/30 23:12 |
| S79 | 135 | header near5 exclusive | US-PGPUB; USPAT | OR | OFF | 2005/09/30 23:12 |
| S80 | 28 | header near exclusive | US-PGPUB; USPAT | OR | OFF | 2005/09/30 23:12 |
| S81 | 9 | header near ((exclusive adj "or") or bitwise) | US-PGPUB; USPAT | OR | OFF | 2005/09/30 23:19 |
| S82 | 740 | header adj compression | US-PGPUB; USPAT | OR | OFF | 2005/09/30 23:19 |

| | | | · | T | | |
|----------|------|---|--------------------|------|-----|------------------|
| S83 | 2 | header adj compression and bitwise | US-PGPUB; USPAT | OR | OFF | 2005/09/30 23:30 |
| S84 | . 0 | www-aunthenticte near5 bitwise | US-PGPUB; USPAT | OR | OFF | 2005/09/30 23:30 |
| S85 | 0 | www-aunthenticte near5 bitwise | US-PGPUB; USPAT | OR | ON | 2005/09/30 23:30 |
| S86 | 0 | www-aunthenticate near5 bitwise | US-PGPUB; USPAT | OR - | ON | 2005/09/30 23:30 |
| S87 | 0 | www-aunthenticate same bitwise | US-PGPUB; USPAT | OR | ON | 2005/09/30 23:31 |
| S88 | 0 | aunthenticate same bitwise | US-PGPUB; USPAT | OR | ON | 2005/09/30 23:31 |
| S89 | 0 | content adj type same bitwise | US-PGPUB; USPAT | OR | ON | 2005/09/30 23:31 |
| S90 | 84 | version same bitwise | US-PGPUB; USPAT | OR · | ON | 2005/09/30 23:31 |
| S91 | 7 | version same bitwise same header | US-PGPUB; USPAT | OR | ON | 2005/09/30 23:34 |
| S92 | 2 | version same bitwise same HTTP | US-PGPUB; USPAT | OR | ON | 2005/09/30 23:36 |
| S93 | 17 | HTTP same bitwise | US-PGPUB; USPAT | OR | ON | 2005/09/30 23:37 |
| S94 | 1 | HTTP near10 bitwise | US-PGPUB; USPAT | OR | ON | 2005/09/30 23:38 |
| S95 | . 82 | header same bitwise | US-PGPUB; USPAT | OR | ON | 2005/09/30 23:51 |
| S96 | 39 | accept adj encoding same HTTP | US-PGPUB; USPAT | OR | ON | 2005/09/30 23:53 |
| S97 | 1 | (accept adj encoding same HTTP) and bitwise | US-PGPUB; USPAT | OR | ON | 2005/09/30 23:53 |
| S98 | 18 | (accept adj encoding same HTTP) and compar\$5 | US-PGPUB; USPAT | OR | ON | 2005/09/30 23:59 |
| S99 | 29 | (www adj authenticate same HTTP) and compar\$5 | US-PGPUB; USPAT | OR | ON | 2005/09/30 23:59 |
| S10 0 | 0 | (www adj authenticate same HTTP) same compar\$5 | US-PGPUB; USPAT | OR | ON | 2005/09/30 23:59 |
| S10 1 | 4 | S99 and bitwise | US-PGPUB; USPAT | OR | ON | 2005/10/02 15:15 |
| S10 2 | 0 | accept adj encoding same bitwise | US-PGPUB; USPAT | OR | ON | 2005/10/02 15:16 |
| S10 3 | 1 | accept adj encoding and bitwise | US-PGPUB; USPAT | OR | ON | 2005/10/02 15:16 |
| S10 4 | . 0 | accept adj encoding same "xor" | US-PGPUB; USPAT | OR | ON | 2005/10/02 15:16 |
| S10 5 | 1 | pragma same "xor" | US-PGPUB; USPAT | OR | ON | 2005/10/02 15:16 |

| | | r | | | , | |
|----------|-------------|--|--------------------|---------|---------|------------------|
| S10 6 | 0 | MIME adj version same "xor" | US-PGPUB; USPAT | OR | ON | 2005/10/02 15:17 |
| S10 7 | 2 | MIME adj version and "xor" | US-PGPUB; USPAT | OR | ON | 2005/10/02 15:20 |
| S10 8 | 1 | "XOR" adj2 encryption same MD5 | US-PGPUB; USPAT | OR | ON | 2005/10/02 15:20 |
| S10 9 | 2 | "XOR" adj2 encrypt\$5 same MD5 | US-PGPUB; USPAT | OR | ON | 2005/10/02 15:22 |
| S11 0 | 95 | SHA1 same "xor" | US-PGPUB; USPAT | OR | ON | 2005/10/02 15:22 |
| S11 1 | 3 | SHA1 same "xor" same MD5 | US-PGPUB; USPAT | OR | ON | 2005/10/02 15:23 |
| S11 2 | 92 | SHA1 same "xor" and MD5 | US-PGPUB; USPAT | OR | ON | 2005/10/02 15:23 |
| S11 3 | 0 | S112 and (http same header) | US-PGPUB; USPAT | OR | ON | 2005/10/02 15:24 |
| S11 4 | 2 | S112 and http and header | US-PGPUB; USPAT | OR | ON | 2005/10/02 15:35 |
| S11 5 | 274 | "xor" same header | US-PGPUB; USPAT | OR · | ON | 2005/10/02 15:35 |
| S11 6 | 1 | "xor" near5 header same decrypt\$5 | US-PGPUB; USPAT | OR | ON | 2005/10/02 15:37 |
| S11 7 | 0 | "xor" near5 header and HTTP same header and decrypt\$5 | US-PGPUB; USPAT | OR | ON · | 2005/10/02 15:38 |
| S11 8 | 0 | "xor" near5 www adj authenticate | US-PGPUB; USPAT | OR . | ON | 2005/10/02 15:38 |
| S11 9 | 0 | "xor" same www adj authenticate | US-PGPUB; USPAT | OR. | ON | 2005/10/02 15:39 |
| S12 0 | 284 | "xor" same vary | US-PGPUB; USPAT | OR | ON | 2005/10/02 15:39 |
| S12 1 | 0 | "xor" same vary near5 header | US-PGPUB; USPAT | OR | ON | 2005/10/02 15:39 |
| S12 2 | 0 | "xor" same accept adj ranges | US-PGPUB; USPAT | OR | ON | 2005/10/02 15:39 |
| S12 3 | 0 | ("xor" or bitwise) same accept adj ranges | US-PGPUB; USPAT | OR | ON | 2005/10/02 15:39 |
| S12 4 | 0 | ("xor" or bitwise) same content adj range | US-PGPUB; USPAT | OR | ON | 2005/10/02 15:40 |
| S12 5 | 0 | ("xor" or bitwise) same content adj type | US-PGPUB; USPAT | OR | ON | 2005/10/02 15:40 |
| S12 6 | 0 | ("xor" or bitwise) same content adj md5 | US-PGPUB; USPAT | OR | ON | 2005/10/02 15:40 |
| S12 7 | . 77 | ("xor" or bitwise) same md5 | US-PGPUB; USPAT | OR | ON | 2005/10/02 15:40 |
| S12 8 | 39 | S127 and header | US-PGPUB; USPAT | OR | ON | 2005/10/02 15:40 |

| | | • | | | | |
|----------|------|--|---------------------------------|----|----|------------------|
| S12 9 | 15 | S128 and http | US-PGPUB; USPAT | OR | ON | 2005/10/02 15:41 |
| S13 0 | 2 | left adj shift near5 four near5 character | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/02 18:00 |
| S13 1 | 0 | bitwise near5 four near5 character | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/02 17:59 |
| S13 2 | 1 | "xor" near5 four near5 character | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/02 17:59 |
| S13 3 | 71 | left adj shift near5 "32" near bit | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/02 18:00 |
| S13 4 | 0 | S133 same bitwise | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/02 18:00 |
| S13 5 | 1 | S133 same "xor" | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/02 19:04 |
| S13 6 | 2 | 0x20202020 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/02 19:06 |
| S13 7 | 0 | four adj blank adj ACII | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/02 19:06 |
| S13 8 | 0 | four adj blank adj2 ACII | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/02 19:06 |
| S13 9 | 0 | four adj blank near5 ACII | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/02 19:06 |
| S14 0 | 5. | four adj blank near5 charac\$5 | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/02 19:07 |
| S14 1 | 981 | blank adj character | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/02 19:07 |
| S14 2 | 0 | blank adj character same bitwise | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/02 19:07 |
| S14 3 | 0 | blank adj character same "xor" | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/02 19:28 |
| S14 4 | 4311 | prede\$8 near5 header | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/02 19:29 |

| S14 5 | 15 | prede\$8 near5 header near5 HTTP | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/02 19:54 |
|----------|----|----------------------------------|---------------------------------|----|----|------------------|
| S14 6 | 35 | Universal adj hash | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/02 19:57 |
| S14 7 | 0 | Universal adj hash near5 blank | US-PGPUB; USPAT; EPO; JPO | OR | ON | 2005/10/02 22:19 |